




# High-Performance, meet Interaction

DeltaView Blaze interactive screen – Innovating learning and collaboration, redefining technology for education and business.



# Best Performance Interactive Screen For Education And Business



 **8nm**  
Lithography Process

 **Octa-core**  
CPU

 **2.4GHz**  
Frequency


 **6Tops**  
Computing Power

 **8K Video**  
Video Decoding

Experience the power of an intuitive app-based user interface that makes teamwork a breeze. Whether in the classroom or the boardroom, our robust whiteboard functionality allows for real-time sharing and brainstorming, taking your productivity to new heights.

# 4K Resolution With Immense Picture Quality

A dynamic display range has 4k video resolution with an unparalleled visual experience offer true to life color and picture quality, enhances any classroom or meeting room experience and adds life to it.



# Zero Bonding

Zero bonding technology ensures high precision touch and dust free clarity screens.



0.8mm Air Gap at the edge

The Glass

0mm Air Gap at the center



## 8Array Microphones with speaker tracking


8 microphones and speaker-tracking technology locate the sound source in real-time, ensuring the speaker is always the center of attention.

8Ar 10 AI ceato



# 48MP AI Camera Auto framing

With auto-framing, the display automatically adjusts to achieve the best angle based on the number of participants and their location, so it feels like a face-to-face interaction.




# Multiple Ports



# Type-C Versatile Connectivity

Experience seamless connectivity with the versatile Type-C port. Effortlessly connect to webcams, microphones, speakers, USB flash drives, and wired networks by simply plugging in a cable. And with up to 65W of charging performance, your device stays powered throughout your lessons.



# Transform Images into Actionable Insights

## From Image to Insight

"Capture. Convert. Conquer."


"With DeltaView Blaze, capturing an image is just the beginning. Convert it into text and conquer the information it holds. Whether it's documents, receipts, or notes, DeltaView Blaze OCR turns images into insights at your fingertips."



Import pictures



Image recognition






Object handling



Google search


# Transform Your Writing with Umind Advanced AI Pen

AI-powered pen tools, integrated into our Umind whiteboard software, offer unparalleled accuracy and intuitive functionality.




# Empowering Education, Amplifying Insights

– Your gateway to a world of science and math



Courseware Function-Ucourse




Quiz

From primary to higher education, our platform covers a wide range of subjects, igniting curiosity and fostering deep understanding. Customize your curriculum, create dynamic content, and contribute to a learning revolution that transforms teaching and empowers learners to achieve more."


# DeltaView Blaze

The Core of Your 3D Vision  
Transform Ideas into Reality



## Natural Sciences

Anatomy and Physiology  
Geography and Earth Sciences  
Chemistry and Molecular Structure  
Biology and Ecology  
Astronomy and Space Science  
Physics and Mechanics



## Engineering and Technology

Engineering and Robotics



## Social Sciences

Environmental Science and Sustainability



## Mathematics

Mathematics and Geometry




## Arts

Art and Design

# DMS-"Simplify, Streamline, Secure."

Secure your documents, smarten your management, and enjoy a seamless experience, all in one unified platform."



## DMS



Easy Maintenance  
& Customization



Secured  
Document



Save Cost



Recovering Files



Liberate Manpower



Remote Control



Save Storage




## Cloud Sync, Seamless Harmony

"Experience cloud sync like never before. Our service harmonizes with Google, OneDrive, and more, uniting all your data in perfect sync."

## Secure, Smart, and Social Cloud




"Secure your data, smarten your access, and socialize your cloud experience. Our service supports Google, OneDrive, and more for a truly social cloud."



# Multiple user login

## Beyond the Drive, Into the Cloud

- Step beyond the drive and into the cloud with our service.
- Multi-user functionality meets Google, OneDrive, and other cloud giants.



# The Power of Now, In Every Update

Feel the power of now with every  
**OTA** update.  
Immediate, impactful, and always  
improving.

The screenshot displays the 'Ota Management' interface. At the top right, it shows the user 'admin' and a 'Language' dropdown. The breadcrumb navigation is 'HOME / Basic Control / Ota Management'. Below the navigation is a search bar with 'machine type' and 'OTA name' filters, and a '+ Add' button. The main content is a table with the following data:


machine type	OTA name	version code	resource type	update method	add time	Operate
3588-test	update.zip	20240719.0857	Whole Packag	User Select	2024-07-0 12:07:43	<a href="#">Edit</a>
311D2OTA升级	update.zip	20240705.1521	Whole Packag	User Select	2024-07-0 11:45:54	<a href="#">Edit</a>
V100OTA升级	update.zip	348.20240606.1543	Whole Packag	User Select	2024-06-2 5:17:09:27	<a href="#">Edit</a>
311D2-AN13-hsk	update.zip	20240620.2102	Whole Packag	User Select	2024-06-2 4:16:34:24	<a href="#">Edit</a>
RK3588	update.zip	20240620.1440	Whole Packag	User Select	2024-06-1 9:17:02:03	<a href="#">Edit</a>
3588OTA升级	update.zip	20240614.1810	Whole Packag	User Select	2024-06-1 4:20:22:12	<a href="#">Edit</a>
3588OTA升级	update.zip	20240612.1002	Whole Packag	User Select	2024-06-1 4:09:15:28	<a href="#">Edit</a>




# Interactive Flat Panel Display

Model		DV65B13	DV75B13	DV86B13	DV98B13	DV110B13
Diagonal display size		65(inch)	75(inch)	86(inch)	98(inch)	110(inch)
Bezel color	Aluminum frame(White color)	√	√	√	√	√
Panel type	Ultra HD Direct type LED	√	√	√	√	√
Active area (mm)		1428.48 (H) * 803.52 (V)	1649.66 * 927.93(V)	1895.04 * 1065.96(V)	2187.8(H)×1242.8(V)mm	2487.4(H) × 1070.6(V)mm
Resolution	3840*2160 /60hz	√	√	√	√	5120*2160 /60hz
Pixel Pitch		0.372mm x 0.372mm	0.429 mm x 0.429 mm	0.4935 mm x 0.4935 mm	0.5622×0.5622 mm	0.4785×0.4785
Hardness Glass	Mohs-8 level	√	√	√	√	√
Glass Panel	Anti-Glare glass with zero bonding	√	√	√	√	√
Aspect Ratio	16:9	√	√	√	√	21:9
Contrast Ratio	1200:1 (type)IPS	√	√	√	√	4000:1 (type)
Dynamic Contrast Ratio	4000:1	√	√	√	9500:1	14000:1
Brightness	Peak 500cd/m2	400cd/m2	400cd/m2	400cd/m2	480cd/m2	480cd/m2
Color depth	1.07 billion colors	√	√	√	√	√
Viewing angle	178°	√	√	√	√	√
Lifespan	50,000 hours	√	√	√	√	√
<b>Touch Type</b>						
Touch Technology	IR touch	√	√	√	√	√
Multi Touch	Max 40 points(Windows)	√	√	√	√	√
Multi Writing	Max 20 points(Windows)	√	√	√	√	√
Touch Precision	1 mm	√	√	√	√	√
Auto-Calibration	Yes	√	√	√	√	√
Anti-light	Yes	√	√	√	√	√
Minimum object size	2mm	√	√	√	√	√
Touch Response Time	1ms	√	√	√	√	√
Supporting OS	Windows 7/8/10/11; Android; Mac; Linux; Chrome OS	√	√	√	√	√
<b>Sound</b>						
Front Speakers	20W*2	√	√	√	√	√
Subwoofer	20W*1	2.1	2.1	2.1	2.1	2.1
Total Power Amplifiers	≅60w	√	√	√	√	√
<b>Microphone</b>						
Type	Wide-area microphones	√	√	√	√	√
Number of Microphones	8	√	√	√	√	√
Auto switch (Windows/Central)	Yes	√	√	√	√	√
Disconnectable	Yes	√	√	√	√	√
<b>camera</b>						
Number of images	48MP	√	√	√	√	√
Maximum resolution and frame rate	4208*3120(30fps)	√	√	√	√	√
FOV(field of view)	120 °	√	√	√	√	√
<b>Front Side Connections</b>						
Front Ports	Full Function Type-C * 1 line; HDMI IN * 3 line; USB3.0*2; USB-B*1					
Front Keys	Power on/off; Signal source; Setting; ECO; Menu; Volume down; Volume up					
NFC	√					
Fingerprint	√					
SENSORS	Oxygen, Temp, Pollution in 1 sensor ,heat sink,pen holder					

Model		LT65RK3588	LT75RK3588	LT86RK3588	LT98RK3588	LT105RK3588
<b>Bottom Side Connections</b>						
Earphone	1	√	√	√	√	√
MIC IN	1	√	√	√	√	√
SPDIF OUT	1	√	√	√	√	√
RS232	1	√	√	√	√	√
Touch USB (USB B)	2	√	√	√	√	√
HDMI IN	1	√	√	√	√	√
HDMI OUT	1	√	√	√	√	√
RJ45	1	√	√	√	√	√
TYPE C OUT	1	√	√	√	√	√
Android USB2.0	1	√	√	√	√	√
Android USB3.0	1	√	√	√	√	√
TF CARD	1	√	√	√	√	√
WIFI	WIFI5+WIFI6+AP	√	√	√	√	√
Windows OPS Slot	80-pins OPS slot	√	√	√	√	√
Bluetooth version	5.2	√	√	√	√	√
<b>Central</b>						
Android Version	Android 13.0	√	√	√	√	√
Chip	Rockchip RK3588	√	√	√	√	√
CPU	quad-core Cortex-A76 and quad-core Cortex-A55, up to 2.4GHz	√	√	√	√	√
GPU	Mali-G610 MC4	√	√	√	√	√
RAM	16GB	√	√	√	√	√
Flash	256GB	√	√	√	√	√
Compliant with	Windows; Mac; Linux; Chrome OS	√	√	√	√	√
Over-the-Air Updates (OTA)	YES	√	√	√	√	√
Light Sensor	YES	√	√	√	√	√
NFC Reader/Writer	YES	√	√	√	√	√
Temperature, humidity and air quality three-in-one sensor	YES	√	√	√	√	√
Fingerprint module	YES	√	√	√	√	√
<b>General Information</b>						
Power Supply	~ 100-240 V (50/60Hz)	√	√	√	√	√
Switch On / Off	Yes	√	√	√	√	√
Standby Energy Consumption	≤ 0.5 Watt	√	√	√	√	√
Power Consumption		Maximun< 290W Eco<75W	Maximun< 320W Eco<75W	Maximun< 350W Eco<75W	Maximun< 460W Eco<75W	Maximun< 510W Eco<75W
Net Weight	(KG±2)	45	55	70	110	140
Gross Weight	(KG±2)	55	68	85	120	150
Screen Dimensions	(WxDxH)	1470.9 *97.5* 897.5 mm	1692.1 *97.5*1021.9 mm	1943.4*97.5*1166 mm	2250*97.5*12305mm	2505*97.5*1085mm
Dimensions Package	(WxDxH)	1622 * 190 * 1038mm	1842 * 190 * 1163 mm	2090 *190 * 1307 mm	2377*220*1486mm	2550*222*1120mm
VESA Standard	(mm)	600*400 mm	600*400 mm	800*600 mm	1195*220mm 630*47.5mm	1195*220mm 630*47.5mm
Certifications	CE: EMC + LVD / RoHS / REACH / FCC/CCC/BIS					
<b>Environmental conditions</b>						
Operating Temperature	0°C - 40°C/32 - 100 °F	√	√	√	√	√
Storage Temperature	-20°C - 60°C/-4 - 140 °F	√	√	√	√	√
Storage Humidity	10 % - 90 %	√	√	√	√	√
Usage Humidity	10 % - 90 %	√	√	√	√	√
<b>Accessories</b>						
Accessories	WIFI antenna*4pcs; No ink pen * 2pcs, Remote control *1pcs, 1.5m power cord *1pcs, 1.5m USB touch cable *1pcs; wall mount kit					



## Prestigious Clients



# Stay Connected, Stay Inspired

Contact us

Head Office : Gurugram

Toll Free No

1800-571-7167

Sales Enquiries

[Sales@deltaview.in](mailto:Sales@deltaview.in)

Training & Support

[enquiry@deltaview.in](mailto:enquiry@deltaview.in)