



Professional whiteboard experience

Experience seamless interactivity with our high-precision touchscreens and smart palm recognition on displays, designed for both teaching and business presentations.



DeltaView Spark is an Entry level but cost-effective Interactive flat panel. The highlight advantages:




- Cost-effective: Integrated 8GB RAM and 128GB ROM android 14.0 OS.
- Dual pen IR touch: Automatically detects pen diameter (3mm & 8mm) and write simultaneously with different colors and thicknesses.
- All in one 4K UHD touch screen with IR multi-touch
- Multi-touch: 40 points touch in windows and 20 points touch in Android
- Smart Whiteboard Software: User-friendly, more efficient and creative.
- Collaborative Presentations: Real-time screen sharing between devices with wireless software
- Dual OS: OPS is option for the clients who want to use Windows.



Naturally Smooth Writing with Digital Accuracy

Write, annotate, and collaborate during presentations with a pen-on-paper feel. With dual-pen recognition to support group collaboration, and Ultra Fine Touch technology and 3mm tipped pens for lag-free digital precision, offers unparalleled writing accuracy with a natural flow.




Palm Rejection

Palm recognition technology minimizes errant touch inputs from palms, wrists, sleeves, etc., so that users can write and annotate freely.



Touch

Up to 40 points of touch



4K HIGH-DEFINITION DISPLAY HEALTHY AND EYE PROTECTION

4K ultra-clear anti-glare display, data, video and other content can be clearly restored, The presentation report is wonderful, the screen hardness is scratch-resistant and the writing touch is smooth.



Anti-glare Reduce specularity



3840*2160px



backlight life >50,000 hours



Viewing angle 178°



High speed WIFI6

Super fast & stable wifi 6 offers speeds up to 1501Mbps(2.4GHz 300Mbps; 5GHz 1201Mbps), providing a faster and lower latency wireless network experience.

2.4GHz + 5GHz 1501Mbps




WIFI 6


5GHz 433Mbps



WIFI 5




Dual OS System

 Android   Windows






Real Time Collaboration

Simple connection with all phones, tablets and computers



Transform Your Writing with Umind Advanced AI Pen

AI-powered pen tools, integrated into our Umind whiteboard software, offer unparalleled accuracy and intuitive functionality.



Transform Images into Actionable Insights

From Image to Insight

"Capture. Convert. Conquer."


"With DeltaView Spark, capturing an image is just the beginning. Convert it into text and conquer the information it holds. Whether it's documents, receipts, or notes, DeltaView Spark OCR turns images into insights at your fingertips."



Import pictures



Image recognition




Object handling




Google search

DeltaView Spark | The Core of Your 3D Vision Transform Ideas into Reality



Natural Sciences

Anatomy and Physiology
Geography and Earth Sciences
Chemistry and Molecular Structure
Biology and Ecology
Astronomy and Space Science
Physics and Mechanics



Engineering and Technology

Engineering and Robotics



Social Sciences

Environmental Science and Sustainability



Mathematics

Mathematics and Geometry





Arts

Art and Design

Empowering Education, Amplifying Insights

- Your gateway to a world of science and math




Quiz

From primary to higher education, our platform covers a wide range of subjects, igniting curiosity and fostering deep understanding. Customize your curriculum, create dynamic content, and contribute to a learning revolution that transforms teaching and empowers learners to achieve more."

Courseware Function-Ucourse

DMS-"Simplify, Streamline, Secure."

Secure your documents, smarten your management, and enjoy a seamless experience, all in one unified platform."



Easy Maintenance & Customization



Secured Document



Save Cost



Recovering Files



Liberate Manpower



Remote Control



Save Storage


Cloud Sync, Seamless Harmony


"Experience cloud sync like never before. Our service harmonizes with Google, OneDrive, and more, uniting all your data in perfect sync."

Secure, Smart, and Social Cloud



"Secure your data, smarten your access, and socialize your cloud experience. Our service supports Google, OneDrive, and more for a truly social cloud."






Beyond the Drive, Into the Cloud

- Step beyond the drive and into the cloud with our service.
- Multi-user functionality meets Google, OneDrive, and other cloud giants.

The Power of Now, In Every Update

Feel the power of now with every OTA update.

Immediate, impactful, and always improving.





Interactive Flat Panel Display

Model		LT65ADV100	LT75ADV100	LT86ADV100	LT98ADV100
Diagonal display size		65(inch)	75(inch)	86(inch)	98(inch)
Bezel color	Aluminum frame(White & Black)	√	√	√	√
Panel type	Ultra HD Direct type LED	√	√	√	√
Active area (mm)		1428.48 (H) * 803.52 (V)	1649.66 * 927.93(V)	1895.04 * 1065.96(V)	2187.8(H)*1242.8(V)mm
Resolution	3840*2160 /60hz	√	√	√	√
Pixel Pitch		0.372mm x 0.372mm	0.429 mm x 0.429 mm	0.4935 mm x 0.4935 mm	0.5622*0.5622mm
Hardness Glass	Mohs-9 level	√	√	√	√
Glass Panel	Anti-Glare glass with zero bonding	√	√	√	√
Aspect Ratio	16:9	√	√	√	√
Contrast Ratio	1200:1 (type)	√	√	√	√
Dynamic Contrast Ratio	4000:1	√	√	√	√
Brightness	500cd/m2	√	√	√	√
Color depth	1.07 billion colors	√	√	√	√
Viewing angle	178°	√	√	√	√
Lifespan	50,000 hours	√	√	√	√
Touch Type					
Touch Technology	IR touch	√	√	√	√
Multi Touch	Max 40 points(Windows)	√	√	√	√
Multi Writing	Max 20 points(Windows)	√	√	√	√
Touch Precision	1 mm	√	√	√	√
Auto-Calibration	Yes	√	√	√	√
Anti-light	Yes	√	√	√	√
Minimum object size	2mm	√	√	√	√
Touch Response Time	1ms	√	√	√	√
Supporting OS	Windows 7/8/10/11; Android; Mac; Linux; Chrome OS	√	√	√	√
Sound					
Front Speakers	(20W*2 option)	√	√	√	√
Total Power Amplifiers	≅60w	√	√	√	√

Front Side Connections					
Front Ports	USB3.0 * 3 lines (Public for both Android & PC) ; Touch out USB B type * 1 line; HDMI in 2.0 * 1 line; USB-C *(Not full-featured, full-featured optional) 1 line				
Front Keys	Power on/off; Signal source; Return; Main page; Menu; Volume down; Volume up				
Bottom Side Connections					
HDMI OUT	1	√	√	√	√
RJ45 IN	1(RJ45, 100 Mbit/s)	√	√	√	√
AV IN	1	√	√	√	√
YPBPR	1	√	√	√	√
AV OUT	1	√	√	√	√
Earphone	1	√	√	√	√
Touch USB	1	√	√	√	√
VGA Audio IN	1	√	√	√	√
VGA IN	1	√	√	√	√
SPDIF OUT	1	√	√	√	√
HDMI IN	2	√	√	√	√
USB 3.0	1	√	√	√	√
USB 2.0	1	√	√	√	√
TF CARD	1	√	√	√	√
RS232 UART	1 (DB9)	√	√	√	√
WiFi Standard	Wi-Fi 5(2.4G+5G)	√	√	√	√
Bluetooth version	5.0	√	√	√	√
Riotouch Central					
Android Version	Android 14.0)	√	√	√	√
Chip	GK6780v100	√	√	√	√
CPU	High-End (8 Cores-A55) 1.2GHz	√	√	√	√
GPU	High-End (Mali-G52 MP2(2EE))	√	√	√	√
Memory	8GB DDR4	√	√	√	√
Storage	128GB	√	√	√	√
Compliant with	Windows; Mac; Linux; Chrome OS	√	√	√	√
Over-the-Air Updates (OTA)	YES	√	√	√	√
NFC Reader/Writer	option	√	√	√	√




Interactive Flat Panel Display

Expansion Board (Optional in the Rear side)					
HDMI IN	1	√	√	√	√
DP IN	1	√	√	√	√
VGA IN	1	√	√	√	√
AUDIO IN	1	√	√	√	√
USB-B (touch)	1	√	√	√	√
USB-C	USB 2.0 communication * 1 line	√	√	√	√
USB 3.0	USB3.0 * 2 lines (Public for both Android & PC)	√	√	√	√
General Information					
Power Supply	~ 100-240 V (50/60Hz)	√	√	√	√
Switch On / Off	Yes	√	√	√	√
Standby Energy Consumption	≤ 0.5 Watt	√	√	√	√
Power Consumption		Maximum< 290W Eco<75W	Maximum< 420W Eco<75W	Maximum< 500W Eco<75W	Maximum< 500W Eco<75W
Net Weight	(KG±2)	40	51	65	110
Gross Weight	(KG±2)	50	63	80	120
Screen Dimensions	(WxDxH)	1470.9 *97.5* 897.5 mm	1692.1 *97.5*1021.9 mm	1943.4*97.5*1166 mm	2250 *97.5 *12305 mm
Dimensions Package	(WxDxH)	1622 * 222 * 1044 mm	1842 * 222 * 1166 mm	2090 *222 * 1307 mm	2370 *220 *1486 mm
VESA Standard	(mm)	600*400 mm	600*400 mm	800*600 mm	1195 *220 mm 630*47.5 mm
Certifications	CE: EMC + LVD / RoHS / REACH / FCC/CCC/BIS	√	√	√	√
Environmental conditions					
Operating Temperature	0°C - 38°C/32 - 100 °F	√	√	√	√
Storage Temperature	-20°C - 60°C/-4 - 140 °F	√	√	√	√
Storage Humidity	10 % - 90 %	√	√	√	√
Usage Humidity	10 % - 90 %	√	√	√	√
Accessories					
Accessories	No ink pen * 2pcs, Remote control *1pc, 1.5m power cord *1pc, 1.5m USB touch cable *1pc; wall mount kit				



Prestigious Clients



Stay Connected, Stay Inspired

Contact us

Head Office : Gurugram

Toll Free No

1800-571-7167

Sales Enquiries

Sales@deltaview.in

Training & Support

enquiry@deltaview.in